

News Letter_May.2019_Monthly News letter



Recently, EGM TECH exported 150 samples, including factories, to The factory in Indonesia for sample installation.

In particular, Indonesia was very difficult to export because of the strict regulations on customs. However, the success of the company has made it possible to increase its overseas export capacity.

As the supply of domestic lighting market becomes more difficult, Vietnam is exporting not only to Indonesia but also Japan, the Middle East and Southeast Asia based on the introduction of the branch office in Vietnam.



On April 17, the President of Indonesia, who is sure to be president, is touring the candidates shortly after he decides to relocate the capital.

Presently, before the presidential election, many presidents have promoted the relocation of the capital but the relocation has not occurred.

The presidential election is expected to take up 60 percent of the parliamentary seats in the ruling coalition party, and it is expected that the transfer of capital will be approved by the National Assembly.

He said that he has traveled to the eastern part of Indonesia by reason of balanced national development and considered it as a convenient capital destination for transportation with major cities.



If the capital is transferred in this way the balance of development will become more active and the regional economy will be revitalized and the construction business will be actively promoted and the surge of the indirect high-rise buildings of the capital Jakarta will be resolved.



Lighting for construction work

LED 170W cylindrical lighting suitable for indoor construction work lighting

Product Features

01. Indoor work lighting

High brightness 170W LED
High Power Beam 1000lm
Adjustable 360°

02. Connectable

200V Connecting (up to 10 connectable)
Connectable to power

03. Portability

Light weight design
Carry weight 12kg (with using cable)
Foldable to save

04. Able to separate

Separable top and bottom of product

Specifications

LED	170W	Beam angle	120°	QC1	Material
Beam angle	1700lm	100°	1000lm	100-40°C	
Power	Input voltage	200V	200V	100V	Material
Beam angle	1700lm	100°	1000lm	100-40°C	Material

Material	Color	Volume	Capacity	Weight
Aluminum	White	1000mm	1000mm	12kg
Aluminum	White	1000mm	1000mm	12kg

Product dimensions (1000mmx1000mmx1200mm)



