

## News Letter\_May.2019\_Monthly News letter

EGM Tech News

EGMtech Strengthening export capacity (Indonesian)



Recently, EGM TECH exported 150 samples, including factories, to The factory in Indonesia for sample installation.  
In particular, Indonesia was very difficult to export because of the strict regulations on customs. However, the success of the company has made it possible to increase its overseas export capacity.

As the supply of domestic lighting market becomes more difficult, Vietnam is exporting not only to Indonesia but also Japan, the Middle East and Southeast Asia based on the introduction of the branch office in Vietnam.

Global issue (Transfer of Indonesian capital)



On April 17, the President of Indonesia, who is sure to be president, is touring the candidates shortly after he decides to relocate the capital.

Presently, before the presidential election, many presidents have promoted the relocation of the capital but the relocation has not occurred.

The presidential election is expected to take up 60 percent of the parliamentary seats in the ruling coalition party, and it is expected that the transfer of capital will be approved by the National Assembly.

He said that he has traveled to the eastern part of Indonesia by reason of balanced national development and considered it as a convenient capital destination for transportation with major cities.



If the capital is transferred in this way the balance of development will become more active and the regional economy will be revitalized and the construction business will be actively promoted and the surge of the indirect high-rise buildings of the capital Jakarta will be relieved.

Product in issue



Lighting for construction work

LED 170W cylindrical lighting suitable for indoor construction work lighting

Product Features

01. Indoor work lighting

High brightness 170W LED  
High efficiency 90lm/W  
High quality 50,000h

02. Connectable

100V AC  
100V-200V Connecting (40 to 10 connectors available to select)

03. Portability

Light weight design  
Cable length 10m (with using cable available to select)

04. Able to separate

Separable top and bottom of product

Specifications

Item	Specification	Unit	Option
LED	170W	lm/W	90-100
Beam angle	120°	°	120°-180°
Beam diameter	Φ100	mm	Φ100-Φ150
Beam length	2000	mm	2000-3000
Material	Aluminum		Aluminum
Weight	12.5kg	kg	12.5kg-15kg

Product dimensions (1000mmx450mmx210mm)



